

CATALOG



AW LIGHTING

2023

V 2.0



DESCRIPTION	PAGE
C7 (Night Light 1W)	3
B10 (3W, 4W, 5W, 6W)	3
GU24 (7W, 9W, 14W)	3
A19 (6W, 7W, 9W, 10W, 12W, 15W)	4
A21 (15W, 22W), A23 (27W)	4
A15 (4W, 5W)	5
S14 (2W, 4W)	5
G16.5 (4W, 5W)	5
G25 (7W, 8W)	5
G40 (5W, 10W)	5
G4 (2W)	6
G6.35 (3W)	6
G8 (3W)	6
G9 (3W, 4W, 5W)	6
JDE11, JDE12 (4W)	6
MR11 (3W)	7
MR16 (4W, 5W, 7W, 8W, EMERGENCY LAMP)	7
GU10 (5W, 7W)	8
HR16 (JDR16, PAR16) (7W, 8W)	8
PAR20 (5W, 8W)	8
PAR30 (10W, 11W)	9
PAR38 (13W, 15W, 20W)	9
R20 (7W)	10
BR30 (11W)	10
BR40 (13W)	10
AR111 (12W)	10
AR70 (8W)	10
JP78 (7W, 8W)	10
JP118 (10W, 15W)	10

DESCRIPTION	PAGE
T6-26 (EXIT LAMP 1.2W)	10
T10 (7W)	10
T25 (T6) (3.5W)	11
ST64 (5W, 7W)	11
AR37(GBF) (3W)	11
PLS (5.5W)	11
PLD (9W)	11
PLL (22W)	11
T5 (10W, 13W, 25W)	12
T8 (8W, 10W, 14W, 18W, 34W, 45W)	12
STRIP LIGHTS & ACCESSORIES	14
LED BARS (1FT, 2FT, 3FT, 4FT)	16
ROPE LIGHTS & ACCESSORIES	17
FLOODLIGHTS	18
WALLPACKS	19
SPOT LIGHTS	20
PANELS (2 X 2, 1 X 4, 2 X 4)	24
DOWN LIGHTS (3, 4 , 6 INCH)	25
DISC LIGHTS (5, 7, 12 INCH)	26
HID LAMPS (20W, 40W, 60W)	27
LED HIGH BAYS & ACCESSORIES	28
LED DRIVER AND CONTROLLER	29
CFL	30
PL	32
LINEAR FLUORESCENT	34
HALOGEN	35
TRANSFORMER AND BALLAST	37
INCANDESCENT	38
TERMS & CONDITIONS	39





PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80010	LE-1C7/WW	2700K	120V	0.75W	E12	50	night light, clear, 2pk	4.4
80032	LE-4B10/CL/27	2700K	120V	4W	E12	400	equivalent to 40W, clear Bent Tip available	4.0
80333	LE-4B10/CL/30	3000K	120V	4W	E12	400	equivalent to 40W, clear	4.0
80033	LE-4B10/CL/40	4000K	120V	4W	E12	400	equivalent to 40W, clear	4.0
80034	LE-4B10/CL/50	5000K	120V	4W	E12	400	equivalent to 40W, clear	4.0
80035	LE-4B10/CL/60	6000K	120V	4W	E12	400	equivalent to 40W, clear	4.0
90007	LE-4B10/RGB	RGB	120V	4W	E12	350	SMART Wi-Fi control by APP	20.0

PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80040	LE-4B10/IF/WW	2700K	120V	4W	E12	350	Frosted, =40W	6.0
80041	LE-6B10/IF/WW	3000K	120V	6W	E12	600	Frosted, =60W	8.0
80036	LE-3B10/CL/WW	3000K	120V	3W	E12	240	equivalent to 25W	8.0
80037	LE-4B10/CL/WW	3000K	120V	4W	E14	350	European Base, =40W	8.0
80038	LE-5B11/CL/30	3000K	120V	5W	E12	300	equivalent to 40W	8.0
84036	LE-4B10/CL/CW	5000K	120V	4W	E14	350	European Base, =40W	8.0
84037	LE-4B10/830/E26	3000K	120V	3.5W	E26	350	equivalent to 40W	6.0
84038	LE-6B10/830/E26	3000K	120V	5.5W	E26	600	equivalent to 60W	8.0

PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
84032	LE-6B10/CL/27	2700K	120V	6W	E12	600	equivalent to 60W, clear	6.0
84042	LE-6B10/CL/30	3000K	120V	6W	E12	600	equivalent to 60W, clear	6.0
84033	LE-6B10/CL/40	4000K	120V	6W	E12	600	equivalent to 60W, clear	6.0
84034	LE-6B10/CL/50	5000K	120V	6W	E12	600	equivalent to 60W, clear	6.0

PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80060	LE-7GU24/30	3000K	120V	7W	GU24	500	equivalent to 40W	5.6
80061	LE-7GU24/40	4000K	120V	7W	GU24	500	equivalent to 40W	5.6
80062	LE-9GU24/27	2700K	120V	9W	GU24	800	equivalent to 60W	5.8
80063	LE-9GU24/30	3000K	120V	9W	GU24	800	equivalent to 60W	5.8
80064	LE-9GU24/35	3500K	120V	9W	GU24	800	equivalent to 60W	5.8
80065	LE-9GU24/40	4000K	120V	9W	GU24	800	equivalent to 60W	5.8
80066	LE-9GU24/50	5000K	120V	9W	GU24	800	equivalent to 60W	5.8
80067	LE-14GU24/27	2700K	120V	14W	GU24	1600	equivalent to 100W	9.6
80068	LE-14GU24/30	3000K	120V	14W	GU24	1600	equivalent to 100W	9.6
80069	LE-14GU24/40	4000K	120V	14W	GU24	1600	equivalent to 100W	9.6



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
84407	LE-8A19/27	2700K	120V	7W	E26	800	Clear, Filament, =60W	7.0
84747	LE-8A19/30	3000K	120V	7W	E26	800	Clear, Filament, =60W	7.0
84748	LE-8A19/30/IF	3000K	120V	7W	E26	800	Frosted, Filament, =60W	7.0
84408	LE-8A19/40	4000K	120V	7W	E26	800	Clear, Filament, =60W	7.0
84409	LE-8A19/50	5000K	120V	7W	E26	800	Clear, Filament, =60W	7.0
84082	LE-10A19/30	3000K	120V	10W	E26	1100	Clear, Filament, =75W	8.0
84083	LE-10A19/40	4000K	120V	10W	E26	1100	Clear, Filament, =75W	8.0
84480	LE-13A21/30	3000K	120V	13W	E26	1600	Clear, Filament, =100W	10.0
84481	LE-13A21/40	4000K	120V	13W	E26	1600	Clear, Filament, =100W	10.0

PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80072	LE-7A19/27	2700K	120V	6W	E26	500	Frosted, =40W	3.0
80073	LE-7A19/30	3000K	120V	6W	E26	500	Frosted, =40W	3.0
80074	LE-7A19/40	4000K	120V	6W	E26	500	Frosted, =40W	3.0
80075	LE-7A19/50	5000K	120V	6W	E26	500	Frosted, =40W	3.0
80076	LE-9A19/65	6500K	120V	9W	E26	800	Frosted, =60W	3.0
80077	LE-9A19/50	5000K	120V	9W	E26	800	Frosted, =60W	3.0
80078	LE-9A19/40	4000K	120V	9W	E26	800	Frosted, =60W	3.0
84410	LE-9A19/35	3500K	120V	9W	E26	800	Frosted, =60W	3.0
80079	LE-9A19/30	3000K	120V	9W	E26	800	Frosted, =60W	3.0
80080	LE-9A19/27	2700K	120V	9W	E26	800	Frosted, =60W	3.0
80082	LE-12A19/30	3000K	120V	13W	E26	1400	equivalent to 75W	6.0
80083	LE-12A19/40	4000K	120V	13W	E26	1400	equivalent to 75W	6.0
80084	LE-12A19/50	5000K	120V	13W	E26	1400	equivalent to 75W	6.0
80086	LE-15A19/30	3000K	120V	15W	E26	1600	equivalent to 100W	8.0
80087	LE-15A19/40	4000K	120V	15W	E26	1600	equivalent to 100W	8.0
80088	LE-17A19/50	5000K	120V	17W	E26	1600	equivalent to 100W	8.0

PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
84084	LE-15A21/30/Tri	3000K	120V	15W	E26	1600	50-100-150W	14.0
84089	LE-22A21/30	3000K	120V	22W	E26	2600	equivalent to 200W	17.0
84090	LE-22A21/40	4000K	120V	22W	E26	2600	equivalent to 200W	17.0
84091	LE-22A21/50	5000K	120V	22W	E26	2600	equivalent to 200W	17.0
84095	LE-27A23/30	3000K	120V	27W	E26	3200	equivalent to 250W	19.0
84096	LE-27A23/40	4000K	120V	27W	E26	3200	equivalent to 250W	19.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80177	LE-8A19/RGBY	R/G/B/Y	120V	8W	E26		single color	8.0
90014	LE-9A19/RGB	RGB	120V	9W	E26	800	SMART Wi-Fi control by APP	20.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80070	LE-5A15/27/IF	2700K	120V	5W	E26	450	Frosted, =40W	6.0
84069	LE-4A15/22/AM	2200K	120V	4W	E12	300	Amber, A15 or G16 =40W, Filament	6.0
84070	LE-4A15/30	3000K	120V	4W	E12/E26	400	Clear, =40W	6.0
80071	LE-4A15/40	4000K	120V	4W	E26	400	Clear, =40W	6.0
84071	LE-4A15/50	5000K	120V	4W	E26	400	Clear, =40W	6.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
84430	LE-2S14/22/AM	2200K	120V	2W	E26	150	Amber, =15W	6.0
84431	LE-4S14/27/CL	2700K	120V	4W	E26	300	Clear, =25W	6.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80090	LE-5G16/27/IF	2700K	120V	5W	E12	300	Frosted, =40W	5.4
80091	LE-4G16/27/CL	2700K	120V	4W	E12	350	Clear, =40W	5.4
84490	LE-4G16/30/CL	3000K	120V	4W	E12	400	Clear, =40W	5.4
84491	LE-4G16/40/CL	4000K	120V	4W	E12	400	Clear, =40W	5.4
84492	LE-4G16/30/CL	3000K	120V	4W	E26	450	Clear, =40W	5.4



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
84493	LE-4G16.5/SB	2700K	120V	4W	E12/E26	350	Silver Bowl, =40W	7.0
84495	LE-6G25/SB	2700K	120V	5.5W	E26	500	Silver Bowl, =60W	9.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80092	LE-7G25/30/CL	3000K	120V	7W	E26	800	Clear, =60W	8.0
80093	LE-8G25/27/IF	2700K	120V	8W	E26	500	Frosted, =60W	10.0
80095	LE-7G25/40/IF	4000K	120V	7W	E26	500	Frosted, =60W	10.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80097	LE-6G40/30	3000K	120V	6W	E26	600	Clear or Frosted, =60W	14.0
80098	LE-10G40/27	2700K	120V	10W	E26	1100	Clear = 100W	18.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80301	LE-3G4/30	3000K	12V	3W	G4	180	equivalent to 30W	10.0
80302	LE-3G4/50	5000K	12V	3W	G4	180	equivalent to 30W	10.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80303	LE-2G4/30/HP	3000K	12V	2W	G4	260	equivalent to 20W	6.0
84304	LE-2G4/40/HP	4000K	12V	2W	G4	260	equivalent to 20W	6.0
80304	LE-2G4/50/HP	5000K	12V	2W	G4	260	equivalent to 20W	6.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80307	LE-3G6.35/30/HP	3000K	12V	4W	G6.35	350	equivalent to 40W	10.0
80308	LE-3G6.35/50/HP	5000K	12V	4W	G6.35	350	equivalent to 40W	10.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
84307	LE-3G8/WW	3000K	120V	3W	G8	300	equivalent to 30W	10.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
88202	LE-4G9/30/COB	3000K	120V	4.5W	G9	450	dim =50W	6.0
88203	LE-3G9/40	4000K	120V	3.2W	G9	350	dim =40W	6.0
88204	LE-3G9/50	5000K	120V	3.2W	G9	370	dim =40W	6.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80204	LE-4G9/27	2700K	120V	3.5W	G9	300	dim =40W	6.0
80200	LE-4G9/30	3000K	120V	3.5W	G9	370	dim =40W	6.0
80203	LE-4G9/40	4000K	120V	3.5W	G9	370	dim =40W	6.0
80201	LE-4G9/50	5000K	120V	3.5W	G9	370	dim =40W	6.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
84202	LE-5G9/30/DIM	3000K	120V	5W	G9	550	dim =60W	8.0
84203	LE-5G9/40/DIM	4000K	120V	5W	G9	550	dim =60W	8.0
84204	LE-5G9/50/DIM	5000K	120V	5W	G9	550	dim =60W	8.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
81307	LE-4JDE11/30	3000K	120V	4W	E11	480	equivalent to 50W	10.0
81308	LE-4JDE12/30	3000K	120V	4W	E12	480	equivalent to 50W	10.0
81309	LE-4JDE11/50	5000K	120V	4W	E11	480	equivalent to 50W	10.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80312	LE-3MR11/NFL/30	3000K	12V	3W	GX4	300	equivalent to 35W	10.0
80313	LE-3MR11/NFL/50	5000K	12V	3W	GX4	300	equivalent to 35W	10.0
80314	LE-3MR11/NFL/40	4000K	12V	3W	GX4	300	equivalent to 35W	10.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
84402	LE-4MR16/NFL/50	5000K	6-24V	4W	GU5.3	350	equivalent to 35W	24.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80404	LE-5MR16/NFL/30	3000K	12V	5W	GU5.3	400	equivalent to 35W	10.0
84404	LE-5MR16/NFL/30	3000K	6-24V	5W	GU5.3	400	equivalent to 35W	24.0
80405	LE-5MR16/NFL/40	4000K	12V	5W	GU5.3	400	equivalent to 35W	10.0
80406	LE-5MR16/NFL/50	5000K	12V	5W	GU5.3	400	equivalent to 35W	10.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80408	LE-7MR16/FL/30	3000K	12V	7W	GU5.3	500	equivalent to 50W	14.0
80409	LE-7MR16/FL/40	4000K	12V	7W	GU5.3	500	equivalent to 50W	14.0
84412	LE-7MR16/NFL/30	3000K	12-24V	7W	GU5.3	500	equivalent to 50W	24.0
80415	LE-7MR16/FL/50	5000K	12V	7W	GU5.3	500	equivalent to 50W	14.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80413	LE-8MR16/FL/30	3000K	12V	8W	GU5.3	600	equivalent to 75W	16.0

PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
84415	LE-7MR16/EXZ/50	5000K	12-24V	7W	GU5.3	600	equivalent to 50W	24.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80417	LE-5MR16/RGBY	R/G/B/Y	12V	5W	GU5.3		single color	14.0
90010	LE-5MR16/RGB	RGB	12V	5W	GU5.3		SMART Wi-Fi control by APP	20.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80420	LE-5GU10/30	3000K	120V	5W	GU10	400	equivalent to 35W	4.8
80421	LE-5GU10/50	5000K	120V	5W	GU10	400	equivalent to 35W	4.8



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80423	LE-7GU10/827	2700K	120V	7W	GU10	500	equivalent to 50W Black or White Finish	4.8
80424	LE-7GU10/830	3000K	120V	7W	GU10	500	equivalent to 50W	4.8
84423	LE-7GU10/835	3500K	120V	7W	GU10	500	equivalent to 50W	4.8
84424	LE-7GU10/840	4000K	120V	7W	GU10	500	equivalent to 50W	4.8
80425	LE-7GU10/850	5000K	120V	7W	GU10	500	equivalent to 50W	4.8
84426	LE-7GU10/860	6000K	120V	7W	GU10	500	equivalent to 50W	4.8



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80427	LE-5GU10/RGBY	R/G/B/Y	120V	5W	GU10		single color	14.0
90011	LE-5GU10/RGB	RGB	120V	5W	GU10		SMART Wi-Fi control by APP	20.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80435	LE-7HR16/830	3000K	120V	7W	E26	500	equivalent to 50W	5.0
84435	LE-7HR16/840	4000K	120V	7W	E26	500	equivalent to 50W	5.0
80436	LE-7HR16/850	5000K	120V	7W	E26	500	equivalent to 50W	5.0
84436	LE-7HR16/860	6000K	120V	7W	E26	500	equivalent to 50W	5.0
90012	LE-5JDR16/RGB	RGB	120V	5W	E26		SMART Wi-Fi control by APP	20.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80440	LE-5PAR20/FL/30	3000K	120V	5W	E26	400	equivalent to 35W	10.0
80443	LE-8PAR20/FL/27	2700K	120V	8W	E26	500	equivalent to 50W	8.0
80444	LE-8PAR20/NFL/30	3000K	120V	8W	E26	500	equivalent to 50W	8.0
80445	LE-7PAR20/FL/30	3000K	120V	7W	E26	500	equivalent to 50W	8.0
80446	LE-7PAR20/FL/40	4000K	120V	7W	E26	500	equivalent to 50W	8.0
84446	LE-7PAR20/FL/50	5000K	120V	7W	E26	500	equivalent to 50W	8.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
84447	LE-6PAR20/RGBY	R/G/B/Y	120V	6W	E26		single color	17.0
90015	LE-5PAR20/RGB	RGB	120V	5W	E26	400	SMART Wi-Fi control by APP	22.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80450	LE-11PAR30SN/27	2700K	120V	11W	E26	800	equivalent to 50W	10.0
80451	LE-11PAR30SN/30	3000K	120V	11W	E26	800	equivalent to 50W	10.0
80452	LE-11PAR30SN/40	4000K	120V	11W	E26	800	equivalent to 50W	10.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80453	LE-11PAR30LN/NFL/30	3000K	120V	11W	E26	900	equivalent to 75W	10.0
80458	LE-11PAR30LN/FL/30	3000K	120V	11W	E26	900	equivalent to 75W	10.0
80459	LE-11PAR30LN/FL/40	4000K	120V	11W	E26	900	equivalent to 75W	10.0
84459	LE-11PAR30LN/FL/50	5000K	120V	11W	E26	900	equivalent to 75W	10.0

PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
84457	LE-10PAR30/RGBY	R/G/B/Y	120V	10W	E26		single color	19.0
90016	LE-11PAR30/RGB	RGB	120V	11W	E26	850	SMART Wi-Fi control by APP	24.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80468	LE-13PAR38/FL/27	2700K	120V	13W	E26	1050	equivalent to 90W	14.0
80469	LE-15PAR38/FL/30	3000K	120V	15W	E26	1250	equivalent to 100W Black or White Finish	14.0
80470	LE-13PAR38/FL/40	4000K	120V	13W	E26	1050	equivalent to 90W	14.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80465	LE-20PAR38/NFL/30	3000K	120V	20W	E26	1250	equivalent to 100W	20.0
84469	LE-20PAR38/NFL/50	5000K	120V	20W	E26	1250	equivalent to 100W	20.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
84467	LE-12PAR38/RGBY	R/G/B/Y	120V	12W	E26		single color	19.0
90017	LE-11PAR38/RGB	RGB	120V	11W	E26	1050	SMART Wi-Fi control by APP	28.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80102	LE-8R20/27	2700K	120V	7W	E26	450	equivalent to 50W	6.0
80105	LE-11BR30/27	2700K	120V	11W	E26	800	equivalent to 75W	8.0
80107	LE-11BR30/40	4000K	120V	11W	E26	850	equivalent to 75W	10.0
80109	LE-17BR40/27	2700K	120V	13W	E26	1050	equivalent to 100W	12.0
90019	LE-8BR30/RGB	RGB	120V	8W	E26	650	SMART Wi-Fi control by APP	24.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80701	LE-12AR111/NFL/30	3000K	12V	12W	G53	1000	equivalent to 90W	28.0
80702	LE-12AR111/30/GU10	3000K	120V	12W	GU10	1000	equivalent to 90W	28.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80770	LE-8AR70/BA15D	3000K	120V	8W	BA15D	500	equivalent to 50W	24.0
80771	LE-8AR70/BA15S	3000K	120V	8W	BA15S	500	equivalent to 50W	24.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
87730	LE-7JP78/30	3000K	120V	7W	R7S	800	equivalent to 100W	10.0
87734	LE-7JP78/40	4000K	120V	7W	R7S	800	equivalent to 100W	10.0
87735	LE-7JP78/50	5000K	120V	7W	R7S	800	equivalent to 100W	10.0
87737	LE-10JP78/30	3000K	120V	8W	R7S	1000	equivalent to 150W	14.0
87738	LE-10JP78/40	4000K	120V	8W	R7S	1000	equivalent to 150W	14.0
87739	LE-10JP78/50	5000K	120V	8W	R7S	1000	equivalent to 150W	14.0
87740	LE-10JP118/30	3000K	120V	10W	R7S	1000	equivalent to 150W	14.0
87745	LE-10JP118/50	5000K	120V	10W	R7S	1000	equivalent to 150W	14.0
87747	LE-15JP118/30	3000K	120V	15W	R7S	1500	equivalent to 200W	16.0
87748	LE-15JP118/40	4000K	120V	15W	R7S	1500	equivalent to 200W	16.0
87749	LE-15JP118/50	5000K	120V	15W	R7S	1500	equivalent to 200W	16.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
90429	LE-T6-26	Red EXIT	120V	1.4W	E11,E17, Ba15d	100	equivalent to 15W 2pk	14.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80016	LE-2T10/830	3000K	6-24VDC	2W	wedge	200	equivalent to 35W	10.0
80018	LE-2T10/850	5000K	6-24VDC	2W	wedge	200	equivalent to 35W	10.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
90426	LE-7T10/27	2700K	120V	7W	E26	700	equivalent to 60W	7.0
90427	LE-7T10/30	3000K	120V	7W	E26	700	equivalent to 60W	7.0
90428	LE-7T10/40	4000K	120V	7W	E26	700	equivalent to 60W	7.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
90430	LE-4T25/E12/827 (T6)	2700K	120V	4.5W	E12	450	equivalent to 40W	6.0
90431	LE-4T6/840	4000K	120V	4.5W	E12	450	equivalent to 40W	6.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
84790	LE-7ST64/27/CL	2700K	120V	7W	E26	800	clear, =75W	8.0
84791	LE-6ST64/22/AM	2200K	120V	5W	E26	400	amber, =40W	8.0
84792	LE-7ST64/30/CL	3000K	120V	7W	E26	800	clear, =75W	8.0
84793	LE-7ST64/40/CL	4000K	120V	7W	E26	800	clear, =75W	8.0
84794	LE-7ST64/50/CL	5000K	120V	7W	E26	800	clear, =75W	8.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
91383	LE-3GBF/827	2700K	12V	3W	BA15S	300	equivalent to 35W	20.0
91384	LE-3AR37/827	2700K	12V	3W	BA15D	300	equivalent to 35W	20.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
90910	LE-6PL/30	3000K	120V, DR	5.5W	2P/4P	600	replace 9W, 13W, hybrid	16.0
90911	LE-6PL/35	3500K	120V, DR	5.5W	2P/4P	600	replace 9W, 13W, hybrid	16.0
90912	LE-6PL/40	4000K	120V, DR	5.5W	2P/4P	600	replace 9W, 13W, hybrid	16.0
90913	LE-6PL/50	5000K	120V, DR	5.5W	2P/4P	600	replace 9W, 13W, hybrid	16.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
90914	LE-9PLD/30	3000K	120V, DR	9W	4 PIN	950	replace 13W, 18W, 26W	20.0
90915	LE-9PLD/35	3500K	120V, DR	9W	4 PIN	950	replace 13W, 18W, 26W	20.0
90916	LE-9PLD/40	4000K	120V, DR	9W	4 PIN	950	replace 13W, 18W, 26W	20.0
90917	LE-9PLD/50	5000K	120V, DR	9W	4 PIN	950	replace 13W, 18W, 26W	20.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
90924	LE-9PLD/MC/V	2700K 3000K 3500K 4000K 5000K	120-277V, DR Type: A+B	9W	G24Q / G24D	1100	50000 hrs 90° rotatable	24.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80659	LE-10T5/830	3000K	120V, DR	10W	G5	900	2ft	22.0
80660	LE-10T5/835	3500K	120V, DR	10W	G5	900	2ft	22.0
80661	LE-10T5/840	4000K	120V, DR	10W	G5	900	2ft	22.0
80662	LE-10T5/850	5000K	120V, DR	10W	G5	900	2ft	22.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80667	LE-13T5/4FT/830	3000K	120V, DR	12.5W	G5	1800	4ft for F28T5	24.0
80668	LE-13T5/4FT/835	3500K	120V, DR	12.5W	G5	1800	4ft for F28T5	24.0
80669	LE-13T5/4FT/840	4000K	120V, DR	12.5W	G5	1800	4ft for F28T5	24.0
80670	LE-13T5/4FT/850	5000K	120V, DR	12.5W	G5	1800	4ft for F28T5	24.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80671	LE-25T5/4FT/830	3000K	120V, DR	25W	G5	3500	4ft for F54T5HO	24.0
80672	LE-25T5/4FT/835	3500K	120V, DR	25W	G5	3500	4ft for F54T5HO	24.0
80673	LE-25T5/4FT/840	4000K	120V, DR	25W	G5	3500	4ft for F54T5HO	24.0
80674	LE-25T5/4FT/850	5000K	120V, DR	25W	G5	3500	4ft for F54T5HO	24.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80773	LE-8T8/830	3000K	120V, DR	8W	G13	1000	2ft	12.0
80774	LE-8T8/835	3500K	120V, DR	8W	G13	1000	2ft	12.0
80775	LE-8T8/840	4000K	120V, DR	8W	G13	1000	2ft	12.0
80776	LE-8T8/850	5000K	120V, DR	8W	G13	1000	2ft	12.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80777	LE-11T8/830	3000K	120V, DR	10W	G13	1400	3ft	12.0
80778	LE-11T8/835	3500K	120V, DR	10W	G13	1400	3ft	12.0
80779	LE-11T8/840	4000K	120V, DR	10W	G13	1400	3ft	12.0
80780	LE-11T8/850	5000K	120V, DR	10W	G13	1400	3ft	12.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
90650	LE-17PLL/830	3000K	120V, DR	17W	2G11	2500	replace 40W	24.0
90652	LE-22PLL/840	4000K	120V, DR	22W	2G11	2800	replace 40W	24.0
90653	LE-22PLL/850	5000K	120V, DR	22W	2G11	2800	replace 40W	24.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80781	LE-18T8/830	3000K	110- 347 V, DR	18W	G13	2200	4ft, hybrid	14.0
80782	LE-18T8/835	3500K	110- 347 V, DR	18W	G13	2200	4ft, hybrid	14.0
80783	LE-18T8/840	4000K	110- 347 V, DR	18W	G13	2200	4ft, hybrid	14.0
80784	LE-18T8/850	5000K	110- 347 V, DR	18W	G13	2200	4ft, hybrid	14.0
80785	LE-18T8/865	6500K	110- 347 V, DR	18W	G13	2200	4ft, hybrid	14.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80793	LE-22T8/840	4000K	120V, DR	22W	G13	2500	5ft	24.0
80794	LE-22T8/850	5000K	120V, DR	22W	G13	2500	5ft	24.0




PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80992	LE-33T8/8FT/840/BP	4000K	120V, DR	34W	Fa8	4200	8ft	40.0
80993	LE-33T8/8FT/850/BP	5000K	120V, DR	34W	Fa8	4000	8ft	40.0
80994	LE-33T8/8FT/860/BP	6000K	120V, DR	34W	Fa8	4200	8ft	40.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80990	LE-45T8/840/HO	4000K	120V, DR	45W	R17D	5500	8ft High Output	44.0
80991	LE-45T8/850/HO	5000K	120V, DR	45W	R17D	5500	8ft High Output	44.0



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	BASE	LUMEN	NOTE	PRICE
80797	LE-17T8/840/U6	4000K	120V, DR	15W	G13	2200	U6	28.0
80798	LE-17T8/850/U6	5000K	120V, DR	15W	G13	2200	U6	28.0



PRODUCT CODE	DESCRIPTION	LED TYPE	CCT	WATERPROOF (IP67)	WATTS	NOTE	PRICE
80499	Le-Strip-5M/2835-WW	2835	Warm White	No	29W	12VDC; 5 metre per roll	39
80500	Le-Strip-5M/2835-WW/600LED	2835	Warm White	No	50W	12VDC; 5 metre per roll	50
80501	Le-Strip-5M/2835-CW	2835	Cool White	No	29W	12VDC; 5 metre per roll	39
80502	Le-Strip-5M/2835-WW-WP/T	2835	Warm White	Yes	29W	5 metre per roll; 12VDC; Silicon Tube	50
80503	Le-Strip-5M/2835-CW-WP/S	2835	Cool White	Yes	29W	5 metre per roll; 12VDC; Silicon Gel	50



PRODUCT CODE	DESCRIPTION	LED TYPE	CCT	WATERPROOF (IP67)	WATTS	NOTE	PRICE
80507	Le-Strip-5M/5050-WW	5050	Warm White	No	36W	5 metre per roll	44
80508	Le-Strip-5M/5050-CW	5050	Cool White	No	36W	5 metre per roll	44
80509	Le-Strip-5M/5050-WW-WP/T	5050	Warm White	Yes	36W	5 metre per roll; Silicon Tube	60
80510	Le-Strip-5M/5050-CW-WP/T	5050	Cool White	Yes	36W	5 metre per roll; Silicon Tube	60
80511	Le-Strip-5M/5050-WW-WP/S	5050	Warm White	Yes	36W	5 metre per roll; Silicon Gel	60
80512	Le-Strip-5M/5050-CW-WP/S	5050	Cool White	Yes	36W	5 metre per roll; Silicon Gel	60
80513	Le-Strip-5M/5050-CW/300LED	5050	Cool White	No	72W	5 metre per roll	80
80560	Le-Strip-5M/5050-WW/300LED	5050	Warm White	No	72W	5 metre per roll	80
80561	Le-Strip-5M/5050-WW/300LED	5050	Warm White	Yes	72W	5 metre per roll	90
80563	Le-Strip-5M/5050-DX/300LED	5050	Daylight	No	72W	5 metre per roll	80
80564	Le-Strip-5M/5050-DX/300LED	5050	Daylight	Yes	72W	5 metre per roll	90



PRODUCT CODE	DESCRIPTION	LED TYPE	CCT	WATERPROOF (IP67)	LED/ WATTS	NOTE	PRICE
80514	Le-Strip-5M/R	3528	Red	No	29W	5 metre per roll	49
80515	Le-Strip-5M/B	3528	Blue	No	29W	5 metre per roll	49
80516	Le-Strip-5M/G	3528	Green	No	29W	5 metre per roll	49
80517	Le-Strip-5M/Y	3528	Yellow	No	29W	5 metre per roll	49
80518	Le-Strip-5M/P	3528	Purple	No	29W	5 metre per roll	49
80570	Le-Strip-50M/CC/24V	3528	Colour Chasing, RGB	No	4W/ft	50 metre per roll	\$5/ft
80577	Le-Strip-5M/RGB	5050	RGB	No	40W	5 metre per roll	90
80578	Le-Strip-5M/RGB/WP/T	5050	RGB	Yes	40W	5 metre per roll; Silicon Tube	100
80579	Le-Strip-5M/RGB/WP/S	5050	RGB	Yes	40W	5 metre per roll; Silicon Gel	100



PRODUCT CODE	DESCRIPTION	NOTE	PRICE
80580	Le-101I	LED I connector strips end to end (SMD 3528, 8mm PCB)	2.0
80581	Le-101I-5050	LED I connector strips end to end (SMD 5050, 10mm PCB)	2.0
80582	Le-101I-RGB	RGB I connector strips end to end (SMD 5050, 10mm PCB)	4.0
80585	Le-103F	Flexible Connectors (3528, 2 ends for 2 wire)	2.0
80586	Le-103F-5050	Flexible Connectors 5050 (2 ends for 2 wire)	2.0
80587	Le-103F-RGB	RGB Flexible Connectors (4 wire)	6.0
80588	Le-104E-3528	Live feeder (Connection to transformer, NWP, 2 wire 3528)	2.0
80589	Le-104E-5050	Live feeder (2 wire 5050)	2.0
80590	Le-104E-RGB	RGB Live feeder (4 wire)	4.0

For Strip Lights & Driver Accessories

PRODUCT CODE	DESCRIPTION	NOTE	PRICE
11900	LED RGB Controller RF or Wifi Control	12 or 24V	29
11901	LED RGB Amplifier	12 or 24V	29
11902	LED Dimmer Controller 96W (up to 3 rolls)	12 or 24V	29



PRODUCT CODE	DESCRIPTION	LED TYPE	CCT	WATTS	LUMENS	VOLTS	NOTE	PRICE
80610	Le-Bar-WW-1FT	2835	Warm White	4W	440	12VDC	1 ft LED Bar Waterproof (IP67)	10
80611	Le-Bar-WW-2FT	2835	Warm White	8W	880	12VDC	2 ft LED Bar Waterproof (IP67)	20
80612	Le-Bar-WW-3FT	2835	Warm White	12W	1320	12VDC	3 ft LED Bar Waterproof (IP67)	30
80613	Le-Bar-WW-4FT	2835	Warm White	16W	1760	12VDC	4 ft LED Bar Waterproof (IP67)	40

PRODUCT CODE	DESCRIPTION	LED TYPE	CCT	WATTS	LUMENS	VOLTS	NOTE	PRICE
80614	Le-Bar-CW-1FT	2835	Cool White	4W	440	12VDC	1 ft LED Bar Waterproof (IP67)	10
80615	Le-Bar-CW-2FT	2835	Cool White	8W	880	12VDC	2 ft LED Bar Waterproof (IP67)	20
80616	Le-Bar-CW-3FT	2835	Cool White	12W	1320	12VDC	3 ft LED Bar Waterproof (IP67)	30
80617	Le-Bar-CW-4FT	2835	Cool White	16W	1760	12VDC	4 ft LED Bar Waterproof (IP67)	40

PRODUCT CODE	DESCRIPTION	LED TYPE	CCT	WATTS	LUMENS	VOLTS	NOTE	PRICE
80618	Le-Bar-RGB-1FT	5050	RGB	4.4W	57.66LM/W	12VDC	1 ft LED Bar Waterproof (IP67)	18
80619	Le-Bar-RGB-2FT	5050	RGB	8.8W	57.66LM/W	12VDC	2 ft LED Bar Waterproof (IP67)	36
80620	Le-Bar-RGB-3FT	5050	RGB	13.2W	57.66LM/W	12VDC	3 ft LED Bar Waterproof (IP67)	54
80621	Le-Bar-RGB-4FT	5050	RGB	17.6W	57.66LM/W	12VDC	4 ft LED Bar Waterproof (IP67)	72




PRODUCT CODE	DESCRIPTION	NOTE	PRICE
10092	LED Bar Clips	For LED Bar Accessories	1.0
10094	Connection Cables (3', 4', 5', 6' 7', and Male/Female connectors)	For LED Bar Accessories	1.0/ft



PRODUCT CODE	DESCRIPTION	LED Type	CCT	WATTS	VOLTS	LUMENS	NOTE	PRICE (PER FT)
89660	LE-RL2835-WW	2835	Warm White	8W/m	120V	80 LM/W	LED Rope Light, IP67 Diameter : 10 mm Dimmable, ETL	4.0
89661	LE-RL2835-CW	2835	Cool White	8W/m	120V	80 LM/W	LED Rope Light, IP67 Diameter : 10 mm Dimmable, ETL	4.0
89662	LE-RL2835-G	2835	Green	8W/m	120V		LED Rope Light, IP67 Diameter : 10 mm Dimmable, ETL	4.0
89663	LE-RL2835-B	2835	Blue	8W/m	120V		LED Rope Light, IP67 Diameter : 10 mm Dimmable, ETL	4.0
89664	LE-RL2835-R	2835	Red	8W/m	120V		LED Rope Light, IP67 Diameter : 10 mm Dimmable, ETL	4.0
89666	LE-RL5050-RGB	5050	RGB	6W/m	120V	60 LED/m	LED Rope Light, IP67 Diameter : 10 mm ETL	5.0

For Rope & Driver Accessories

PRODUCT CODE	DESCRIPTION	NOTE	PRICE
11903-1	LED RGB Controller IR 360W	1. Up to 20 meters sensing distance 2. 24 Keys Remote	40
11903-2	LED RGB Controller IR + BlueTooth 360W	1. Up to 25 meters 110V RGB LED Light 2. 24 Keys Remote 3. Suitable for IOS and Android 4.3 or newer	70
11903-3	Rope RGB Controller RF 750W	Up to 50 meters 110V RGB LED Light	80
10090	Power Cable 6ft, with 2pin and end cap	White/Black	20
10091	Middle Connector		1.0
10092	End Cap, Fix Clip		1.0





PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	LUMENS	VIEWING ANGLE	NOTE	PRICE
93000	Le-FL-20/WW	Warm White	100-240V	20W	1600	120-150 or 50-70	50000 hrs, 1.25kg	60
93001	Le-FL-20/CW	Cool White	100-240V	20W	1600	120-150 or 50-70	50000 hrs, 1.25kg	60
93002	Le-FL-20/RGB	RGB	100-240V	20W	400-1600	120-150 or 50-70	50000 hrs, 1.25kg	80



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	LUMENS	VIEWING ANGLE	NOTE	PRICE
93003	Le-FL-30/WW	Warm White	100-240V	30W	2000	120-150 or 50-70	50000 hrs, 1.85kg	80
93004	Le-FL30/CW	Cool White	100-240V	30W	2100	120-150 or 50-70	50000 hrs, 1.85kg	80
93005	Le-FL-30/RGB	RGB	100-240V	30W	600-2100	120-150 or 50-70	50000 hrs, 1.85kg	100



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	LUMENS	VIEWING ANGLE	NOTE	PRICE
93006	Le-FL-50/WW	Warm White	100-240V	50W	3400	120-150 or 50-70	50000 hrs, 3kg	120
93007	Le-FL-50/CW	Cool White	100-240V	50W	3500	120-150 or 50-70	50000 hrs, 3kg	120
93008	Le-FL-50/RGB	RGB	100-240V	50W	1000-3500	120-150 or 50-70	50000 hrs, 3kg	160



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	LUMENS	VIEWING ANGLE	NOTE	PRICE
93010	Le-FL-80/CW	Cool White	100-277V	80W	7200	90-120 or 50-70	50000 hrs, 6kg	200
93012	Le-FL-100/CW	Cool White	100-277V	100W	9000	90-120 or 50-70	50000 hrs, 6kg	300
93013	Le-FL-150/CW	Cool White	100-277V	150W	13500	90-120 or 50-70	50000 hrs, 10kg	390
93014	Le-FL-210/CW	Cool White	100-277V	210W	20000	90-120 or 50-70	50000 hrs, 16kg	490



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	LUMENS	VIEWING ANGLE	NOTE	PRICE
93112	Le-FL-20/WW/PR	Warm White	110-230V	20W	2000	120-150	50000 hrs, 2.5kg	100
93113	Le-FL-20/CW/PR	Cool White	110-230V	35W	2100	120-150	50000 hrs, 2.5kg	100



LE-FL-20/WW/PIR



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	LUMENS	WEIGHT	NOTE	PRICE
93020	LE-WP20/WW	3000K	100/277V	20W	1400	1.8kg	50000 hrs	60
93022	LE-WP20/DX	5000K	100/277V	20W	1400	1.8kg	50000 hrs	60



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	LUMENS	WEIGHT	NOTE	PRICE
93030	LE-WP35/CW	5000K	120/240V	35W	2200	2.8KG	50000 hrs	90



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	LUMENS	WEIGHT	NOTE	PRICE
93040	LE-WP45/CW	5000K	120/240V	45W	5300	3.2KG	50000 hrs	120



PRODUCT CODE	DESCRIPTION	CCT	VOLTS	WATT	LUMENS	WEIGHT	NOTE	PRICE
93050	LE-CANOPY45/CW	5000K	120/240V	45W	5300	3.2KG	50000 hrs	120



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	BEAM ANGLE	NOTE	PRICE
91600	Le-RS-101-WW	3000K	12VDC	1W	80	80	25° - 30° - 45° - 60°	Aluminum anodized	40
91601	Le-RS-101-CW	5000K	12VDC	1W	80	80	25° - 30° - 45° - 60°	Aluminum anodized	40



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	BEAM ANGLE	NOTE	PRICE
91602	Le-RS-103-WW	3000K	12VDC	3W	210	80	25° - 30° - 45° - 60°	Silver	44
91603	Le-RS-103-CW	5000K	12VDC	3W	210	80	25° - 30° - 45° - 60°	Silver	44



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	BEAM ANGLE	NOTE	PRICE
91604	Le-RS-101V-WW	3000K	12VDC	1W	80	80	25° - 30° - 45° - 60°	Silver	44



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	BEAM ANGLE	NOTE	PRICE
91605	Le-RS-101F-WW	3000K	12VDC	1W	80	80	25° - 30° - 45° - 60°	Silver	44



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	BEAM ANGLE	NOTE	PRICE
91607	Le-RSS-101-WW	3000K	12VDC	1W	80	80	25° - 30° - 45° - 60°	Square	40
91608	Le-RSS-101-CW	5000K	12VDC	1W	80	80	25° - 30° - 45° - 60°	Square	40
91609	Le-RSS-103-WW	3000K	12VDC	3W	180	80	25° - 30° - 45° - 60°	Square	50
91610	Le-RSS-103-CW	5000K	12VDC	3W	180	80	25° - 30° - 45° - 60°	Square	50



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	BEAM ANGLE	NOTE	PRICE
91613	Le-RSS-201-WW	3000K	12VDC	2 X 1W / 2 x 2W	140/280	80	25° - 30° - 45° - 60°	1 X 2	60
91614	Le-RSS-201-CW	5000K	12VDC	2 X 1W / 2 x 2W	140/280	80	25° - 30° - 45° - 60°	1 x 2	60



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	BEAM ANGLE	NOTE	PRICE
91615	Le-RSS-301-WW	3000K	12VDC	3 X 1W	210	80	25° - 30° - 45° - 60°	1 X 3	80
91616	Le-RSS-301-CW	5000K	12VDC	3 X 1W	210	80	25° - 30° - 45° - 60°	1 x 3	80
91617	Le-RSS-302-WW	3000K	12VDC	3 X 2W	420	80	25° - 30° - 45° - 60°	1 X 3	120
91618	Le-RSS-302-CW	5000K	12VDC	3 X 2W	420	80	25° - 30° - 45° - 60°	1 x 3	120



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	BEAM ANGLE	NOTE	PRICE
91619	Le-RSS-401-WW	3000K	12VDC	4 X 1W	280	80	25° - 30° - 45° - 60°	1 X 4	100
91620	Le-RSS-401-CW	5000K	12VDC	4 X 1W	280	80	25° - 30° - 45° - 60°	1 x 4	100
91621	Le-RSS-402-WW	3000K	12VDC	4 X 2W	560	80	25° - 30° - 45° - 60°	1 X 4	140
91622	Le-RSS-402-CW	5000K	12VDC	4 X 2W	560	80	25° - 30° - 45° - 60°	1 X 4	140



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	BEAM ANGLE	NOTE	PRICE
91623	Le-RSS-401S-WW	3000K	12VDC	4 X 1W	280	80	25° - 30° - 45° - 60°	2 x 2	100
91624	Le-RSS-401S-CW	5000K	12VDC	4 X 1W	280	80	25° - 30° - 45° - 60°	2 x 2	100
91625	Le-RSS-402S-WW	3000K	12VDC	4 X 2W	560	80	25° - 30° - 45° - 60°	2 x 2	140
91626	Le-RSS-402S-CW	5000K	12VDC	4 X 2W	560	80	25° - 30° - 45° - 60°	2 x 2	140




PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	BEAM ANGLE	NOTE	PRICE
91631	Le-RS-301-WW	3000K	12VDC	3 X 1W LED	180	80	25° - 30° - 45° - 60°	Silver	40
91632	Le-RS-301-CW	5000K	12VDC	3 X 1W LED	180	80	25° - 30° - 45° - 60°	Silver	40



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	BEAM ANGLE	NOTE	PRICE
91633	Le-RS-303-WW	3000K	12VDC	3 X 3W LED	650	80	25° - 30° - 45° - 60°	Silver	40
91634	Le-RS-303-CW	5000K	12VDC	3 X 3W LED	700	80	25° - 30° - 45° - 60°	Silver	40



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	BEAM ANGLE	NOTE	PRICE
90600	Le-Puck-101-WW	3000K	12VDC	1W	60	80	40° - 60° - 120°	Silver	40
90601	Le-Puck-101-CW	5000K	12VDC	1W	60	80	40° - 60° - 120°	Silver	40
90612	Le-Puck-103-WW	3000K	12VDC	3W	90	80	40° - 60° - 120°	Silver	44
90613	Le-Puck-103-CW	5000K	12VDC	3W	90	80	40° - 60° - 120°	Silver	44



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	BEAM ANGLE	NOTE	PRICE
90604	Le-Puck-101F-WW	3000K	12VDC	1W	60	80	40° - 60° - 120°	Silver	40



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	BEAM ANGLE	NOTE	PRICE
90605	Le-DL-103-WW	3000K	12VDC	3W	200	80	40° - 60° - 120°	Silver	44
90606	Le-DL-103-CW	5000K	12VDC	3W	200	80	40° - 60° - 120°	Silver	44



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	BEAM ANGLE	NOTE	PRICE
90610	Le-Puck-101S-WW	3000K	12VDC	1W	60	80	40° - 60° - 120°	Square	44
90611	Le-Puck-101S-CW	5000K	12VDC	1W	60	80	40° - 60° - 120°	Square	44



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	BEAM ANGLE	NOTE	PRICE
90602	Le-Puck-301-WW	3000K	12VDC	3 X 1W	180	80	120°	Silver	40
90603	Le-Puck-301-CW	4000K	12VDC	3 X 1W	180	80	120°	Silver	40
90604	Le-Puck-301-DX	5000K	12VDC	3 X 1W	200	80	120°	Silver	40
92600	Le-Puck-301-RGB		12VDC	3 X 1W		80	120°	Silver	48



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	ANGLE	LEVER/ VERTICAL	NOTE	PRICE
91700	Le-SS-1W-WW	3000K	12VDC	1W	70	80	25° - 30°	350°/90°	Silver, Black	40
91701	Le-SS-1W-CW	5000K	12VDC	1W	80	80	25° - 30°	350°/90°	Silver, Black	40
91702	Le-SS-3W-WW	3000K	12VDC	3W	150	80	25° - 30°	350°/90°	Silver, Black	46
91703	Le-SS-3W-CW	5000K	12VDC	3W	190	80	25° - 30°	350°/90°	Silver, Black	46



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	ANGLE	LEVER/ VERTICAL	NOTE	PRICE
91710	Le-RS-1W-WW	3000K	12VDC	1W	70	80	25° - 30°	350°/90°	Silver, Black	44
91711	Le-RS-1W-CW	5000K	12VDC	1W	80	80	25° - 30°	350°/90°	Silver, Black	44
91712	Le-RS-3W-WW	3000K	12VDC	3W	150	80	25° - 30°	350°/90°	Silver, Black	46
91713	Le-RS-3W-CW	5000K	12VDC	3W	190	80	25° - 30°	350°/90°	Silver, Black	46



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	ANGLE	LEVER/ VERTICAL	NOTE	PRICE
91720	Le-ST-1W-WW	3000K	12VDC	1W	80	80	25° - 30°	270°	Silver, Black	44
91721	Le-ST-1W-CW	5000K	12VDC	1W	100	80	25° - 30°	270°	Silver, Black	44
91722	Le-ST-3W-WW	3000K	12VDC	3W	150	80	25° - 30°	270°	Silver, Black	46
91723	Le-ST-3W-CW	5000K	12VDC	3W	190	80	25° - 30°	270°	Silver, Black	46



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	BEAM ANGLE	NOTE	PRICE
91730	Le-SW-1W-WW	3000K	12VDC	1W	70	80	25° - 30°	Silver, Black	44
91731	Le-SW-1W-CW	5000K	12VDC	1W	80	80	25° - 30°	Silver, Black	44
91732	Le-SW-3W-WW	3000K	12VDC	3W	150	80	25° - 30°	Silver, Black	46
91733	Le-SW-3W-CW	5000K	12VDC	3W	190	80	25° - 30°	Silver, Black	46



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	ANGLE	LEVER/ VERTICAL	NOTE	PRICE
91740	Le-ST-301-WW	3000K	12VDC	3 X 1W	150	80	20° - 30°	350°/90°	Silver	58
91741	Le-ST-301-CW	5000K	12VDC	3 X 1W	190	80	20° - 30°	350°/90°	Silver	58
91742	Le-ST-303-WW	3000K	12VDC	3 X 3W	450	80	20° - 30°	350°/90°	Silver	68
91743	Le-ST-303-CW	5000K	12VDC	3 X 3W	540	80	20° - 30°	350°/90°	Silver	68



PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	ANGLE	LEVER/ VERTICAL	NOTE	PRICE
91750	Le-ST-101F-WW	3000K	12VDC	1W	70	80	20° - 30°	350°/90°	Silver	40
91751	Le-ST-101F-CW	5000K	12VDC	1W	80	80	20° - 30°	350°/90°	Silver	40
91752	Le-ST-103F-WW	3000K	12VDC	3W	150	80	20° - 30°	350°/90°	Silver	46
91753	Le-ST-103F-CW	5000K	12VDC	3W	190	80	20° - 30°	350°/90°	Silver	46




PRODUCT CODE	DESCRIPTION	CCT	INPUT VOLTAGE	WATT	LUMENS	CRI	ANGLE	LEVER/ VERTICAL	NOTE	PRICE
91755	Le-ST-103G-WW	3000K	12VDC	3W	150	80	25° - 30° - 45° - 60°	360° with driver	Silver	58
91756	Le-ST-103G-CW	5000K	12VDC	3W	190	80	25° - 30° - 45° - 60°	360° with driver	Silver	58



LED Panels

Panneau lumineux LED

- Heat sink aluminum frame for excellent heat dissipation
- Polyester powder coated frame with white finish.
- Slim, state of the art, low profile design
- An optional dimmable driver that delivers full-range dimming
- High efficiency LED, up to 100 Lm/W
- External Driver: 24-48 VDC
- High power factor, low THD driver
- Dimmable
- Life: 50,000 hrs rated



PRODUCT CODE	DESCRIPTION	CCT	WATT	VOLTS	DIMENSIONS (FT X FT)	LUMENS	CRI	NOTE	PRICE
92003	LE-60PANEL22	3500K/ 4000K/ 5000K	30W/ 40W/ 50W/ 60W	120-347V Available	2 X 2	5000	80	LEDVANCE	80



PRODUCT CODE	DESCRIPTION	CCT	WATT	VOLTS	DIMENSIONS (FT X FT)	LUMENS	CRI	NOTE	PRICE
92005	LE-40PANEL14/WW	3000K	40W	110-277VAC 347V Available	1 X 4	4400	80		80
92006	LE-40PANEL14/CW	4000K	40W	110-277VAC 347V Available	1 X 4	4400	80		80
92007	LE-40PANEL14/DX	5000K	40W	110-277VAC 347V Available	1 X 4	4400	80		80



PRODUCT CODE	DESCRIPTION	CCT	WATT	VOLTS	DIMENSIONS (FT X FT)	LUMENS	CRI	NOTE	PRICE
92011	LE-24PANEL24	3500K/ 4000K/ 5000K	24W	120-277V Available	2 X 4	3200	80	LEDVANCE	120



PRODUCT CODE	DESCRIPTION	DIMENSIONS (FT X FT)	NOTE	PRICE
		2 X 2		40
OTHERS	SURFACE MOUNT KITS	1 X 4	For Drop Ceilings or Drywall	40
		2 X 4		50





LED Downlights

- Junction box with integrated dimmable driver included
- Suitable for insulated ceilings
- Wet location options



PRODUCT CODE	DESCRIPTION	CCT	WATT	DIMENSIONS (INCH)	LUMENS	BEAM DEGREE	CRI	NOTE	PRICE
92511	LE-6DL3/WW/WH	3000K	6W	OD 3 1/2 ID 3 1/4	450	140°	80	White Trim	14
92512	LE-6DL3/WW/BK	3000K	6W	OD 3 1/2 ID 3 1/4	450	140°	80	Black Trim	14



PRODUCT CODE	DESCRIPTION	CCT	WATT	DIMENSIONS (INCH)	LUMENS	BEAM DEGREE	CRI	NOTE	PRICE
92100	LE-8DL4/WW	3000K	10W	OD 4 1/2 ID 4 1/4	750	140°	80	WH/BK/BN	14
92101	LE-8DL4/CW	4000K	10W	OD 4 1/2 ID 4 1/4	750	140°	80	WH/BK/BN	14
92102	LE-8DL4/DX	5000K	10W	OD 4 1/2 ID 4 1/4	750	140°	80	WH/BK/BN	14
92103	LE-8DL4/5 IN 1	2700K, 3000K, 3500K, 4000K, 5000K	10W	OD 4 1/2 ID 4 1/4	750	140°	90	WH/BK/BN /6000K available	16



PRODUCT CODE	DESCRIPTION	CCT	WATT	DIMENSIONS (INCH)	LUMENS	BEAM DEGREE	CRI	NOTE	PRICE
92106	LE-9DL4/3 IN 1	3000K, 4000K, 5000K	10W	OD 4 1/2 ID 4 1/4	750	40°	80	Aluminum Body Adjustable gimbal up to 38° tilting	24



PRODUCT CODE	DESCRIPTION	CCT	WATT	DIMENSIONS (INCH)	LUMENS	BEAM DEGREE	CRI	NOTE	PRICE
92300	LE-13DL6/WW	3000K	13W	OD 6 3/4 ID 6 3/16	1100	40°	80	White Trim	30
92301	LE-13DL6/CW	4000K	13W	OD 6 3/4 ID 6 3/16	1100	40°	80	White Trim	30
92302	LE-13DL6/DX	5000K	13W	OD 6 3/4 ID 6 3/16	1100	40°	80	White Trim	30
92306	LE-13DL6/WW	3000K	13W	OD 6 3/4 ID 6 3/16	1100	140°	80	White Trim	30
92307	LE-13DL6/CW	4000K	13W	OD 6 3/4 ID 6 3/16	1100	140°	80	White Trim	30
92308	LE-13DL6/DX	5000K	13W	OD 6 3/4 ID 6 3/16	1100	140°	80	White Trim	30



92310	LE-15DL6/3 IN 1	3000K, 4000K, 5000K	15W	OD 6 3/4 ID 6 3/16	1100	140°	0	White/Black Trim	36
92316	LE-13DL6/BK/WW	3000K	13W	OD 6 3/4 ID 6 3/16	1100	140°	80	Black Trim	30
92317	LE-13DL6/BK/CW	4000K	13W	OD 6 3/4 ID 6 3/16	1100	140°	80	Black Trim	30
92318	LE-13DL6/BK/DX	5000K	13W	OD 6 3/4 ID 6 3/16	1100	140°	80	Black Trim	30



Accessories



See above picture

PRODUCT CODE	DESCRIPTION	DIMENSIONS (INCH)	NOTE	PRICE
92400	Smash Plate 4' Round			3.0

See above picture

92401	4' Trim Round		Black/Metal nickel	3.0
-------	---------------	--	--------------------	-----

LED Surface Disc Light



PRODUCT CODE	DESCRIPTION	CCT	WATT	DIMENSIONS (INCH)	LUMEN	BEAM DEGREE	CRI	NOTE	PRICE
92550	LE-6SDL/5/3000K	3000K	6W	5" Round	300	120	80		22
92551	LE-6SDL/5/4000K	4000K	6W	5" Round	300	120	80		22
92555	LE-12SDL/7/3000K	3000K	12W	7" Round	730	120	80		27
92556	LE-12SDL/7/4000K	4000K	12W	7" Round	730	120	80		27
92600	LE-24SDL/12/3000K	3000K	24W	12" Round	2000	120	80		48
92601	LE-24SDL/12/4000K	4000K	24W	12" Round	2000	120	80		48



LED Corn Bulbs

LEDs for HPS & MH Replacements

DESIGNLIGHTS
CONSORTIUM



- No modification required to conventional fully-enclosed luminaire fixtures
- For use in outdoor fixtures, even IP66 & IP67
- Simply bypass conventional ballast - Remove/ Recycle for additional ROI
- Compatible with line voltages up to 277 VAC with no modification (50/60 Hz)
- Thermal Safety Feature/bypass circuitry ensures long operating life



PRODUCT CODE	DESCRIPTION	CCT	WATT	VOLTAGE	LUMENS	BASE	CRI	NOTE	PRICE
89020	LE-20HB/CW	5000K	20W	120-277V	2800	E26	80	140LM/W	40



PRODUCT CODE	DESCRIPTION	CCT	WATT	VOLTAGE	LUMENS	BASE	CRI	NOTE	PRICE
89040	LE-40HB/WW	3000K	40W	120-277V	5200	E26/E39	80		60
89044	LE-40HB/CW	5000K	40W	120-277V	5600	E26/E39	80		60



PRODUCT CODE	DESCRIPTION	CCT	WATT	VOLTAGE	LUMENS	BASE	CRI	NOTE	PRICE
89046	LE-60HB/CW	5000K	60W	120-277V	8400	E39	80		80



LED HIGH BAY LIGHTINGS

- Integrated heat sink design, die-casting aluminum
- Epistar 2835 chips, >130LM/W
- Wide aluminum PCB design
- Installation: Hook hanging
- Certificate: DLC, ETL, CE, RoHS
- 5 years warranty
- Ra>80, LM80 standard, IP65 waterproof
- Application such as workshop, warehouse, toll station, supermarket, exhibition hall, gymnasium etc.



PRODUCT CODE	DESCRIPTION	CCT	WATT	VOLTAGE	LUMENS	BEAM ANGLE	CRI	WATERPROOF (IP65)	NOTE	PRICE
89080	LE-100HB/CW	5000K	100W	100-277V	13000	60° - 90° - 120°	80	Yes	4.5KG	119
89085	LE-150HB/CW	5000K	150W	100-277V	19500	60° - 90° - 120°	80	Yes	4.5KG	169
89090	LE-200HB/CW	5000K	200W	100-277V	26000	60° - 90° - 120°	80	Yes	5.5KG	219

PRODUCT CODE	DESCRIPTION	NOTE	PRICE
OTHERS	MOUNTING BRACKETS	For High Bays	6.0
OTHERS	LEAD WIRES	2 metres lead wire with IP65 waterproof connector	10
OTHERS	STAINLESS STEEL CHAIN	Material: 304; D3mm x 1000mm	4.0
OTHERS	REFLECTOR	PC Reflector	20
OTHERS	REFLECTOR	Aluminum Reflector	40





PRODUCT CODE	DESCRIPTION	WATTS	VOLTAGE	WATERPROOF IP65	DIMMABLE AVAILABILITY	PRICE
11004	DC12V 14W	14W	12V	No	No	24

PRODUCT CODE	DESCRIPTION	WATTS	VOLTAGE	WATERPROOF IP65	DIMMABLE AVAILABILITY	PRICE
11005	DC12V 30W	30W	12V	No	No	48

PRODUCT CODE	DESCRIPTION	WATTS	VOLTAGE	WATERPROOF IP65	DIMMABLE AVAILABILITY	PRICE
11009	DC12V 60W WP	60W	12V	Yes	No	60
11010	DC12V 60W WP Dim	60W	12V	Yes	Yes	80
11060	DC24V 60W WP	60W	12V	Yes	No	80

PRODUCT CODE	DESCRIPTION	WATTS	VOLTAGE	WATERPROOF IP65	DIMMABLE AVAILABILITY	PRICE
11112	DC12V 100W WP	100W	12V	Yes	No	100
11124	DC24V 120W WP	2X60W	24V	Yes	No	120

PRODUCT CODE	DESCRIPTION	WATTS	VOLTAGE	WATERPROOF IP65	DIMMABLE AVAILABILITY	PRICE
11150	DC12V 150W	150W	12V	Yes	No	140
11150D	DC12V 150W Dim	150W	12V	Yes	Yes	160

PRODUCT CODE	DESCRIPTION	WATTS	VOLTAGE	WATERPROOF IP65	DIMMABLE AVAILABILITY	PRICE
11300	DC12V 300W	300W	12V	No	No	200
11500	DC12V 500W	500W	12V	No	No	280

SMART WI-FI DIMMER SWITCH

PRODUCT CODE	DESCRIPTION	WATTS	VOLTAGE	WATERPROOF IP65	DIMMABLE AVAILABILITY	PRICE
11020	SMART Wi-Fi DIMMER SWITCH	300W or LED 250W	120V	No	Yes	40



Item No.	Description	Wattage	Base	Lumens	Colour Temp.	Life Hours	Case Qty	Note	Price	Image
"Spiral" mini T2, T3										
14140	ESS-5W30	5W	E12 /E26	325	3000K	8000	10/100	mini T2 ES	3.70	
14141	ESS-9W27	9W	E26	500	2700K	8000	50	mini T2 ES	3.90	
14143	ESS-9W41	9W	E26	500	4100K	8000	50	mini T2 ES	3.90	
14160	ESS-15W27	15W	E26	1100	2700K	10000	10/100	ES	3.90	
14162	ESS-15W41	15W	E26	1100	4100K	10000	10/100	ES	3.90	
14163	ESS-15W50	15W	E26	1100	5000K	10000	10/100	ES	3.90	
14164	ESS-18W30	18W	E26	1300	3000K	10000	10/100	ES	4.40	
14165	ESS-18W35	18W	E26	1300	3500K	10000	10/100	ES	4.40	
14169	ESS-23W35	23W	E26	1700	3500K	10000	10/100	ES	5.00	
14172	ESS-23W27/DIM	23W Dimmable	E26	1200	2700K	10000	10/100	100W Dimmable Replacement	8.00	
14173	ESS-26W27/Tri	13/15/26W Tri-light	E26	1800	2700K	10000	50	50/100/150W Tri-Light	8.00	
61061	ESS-32W27	32W	E26	2200	2700K	10000	50	ES	8.00	
61062	ESS-32W41	32W	E26	2200	4100K	10000	50	ES	8.00	
61065	ESS-42W41	42W	E26	2700	4100K	10000	50	ES	10.00	
"A Shape"										
58440	ESA-7W27mini	7W	E26	350	2700K	8000	10/100	mini A15, ES	3.00	
58445	ESA-9W27	9W	E26	450	2700K	10000	10/100	A19, ES	3.00	
58447	ESA-14W27	14W	E26	800	2700K	10000	10/50	A21, ES	3.00	
"Global"										
58265	ESG25-9W27-E26	9W	E26	450	2700K	8000	24	ES	4.00	
58267	ESG25-9W65-E26	9W	E26	450	6500K	8000	24	ES	4.00	
"Chandelier"										
14265	ESC-5W27-E12	5W	E12	250	2700K	8000	10/100	E12	4.00	
14266	ESC-7W27-E12	7W	E12	350	2700K	8000	10/100	E12	4.00	
14267	ESC-9W27-E12	9W	E12	450	2700K	8000	10/100	E12	4.00	
"Reflector"										
14260	CF-R20-9W/27	9W	E26	350	2700K	8000	50	ES	4.00	
14261	CF-R20-15W/30	15W	E26	620	3000K	8000	24	ES	4.00	
14262	CF-BR30-15W/27	15W	E26	750	2700K	8000	24	ES	4.00	
14264	CF-BR40-23W/27	23W	E26	1200	2700K	8000	24	ES	4.00	
"GX53 UnderCabinet Lamp"										
61121	CF-GX53-7W	7W	GX53	220	3000K	10000	10/100		7.00	
61122	CF-GX53-9W	9W	GX53	270	3000K	10000	10/100		7.00	



Image	Item No.	Description	Wattage	Base	Lumens	Colour Temp.	Life Hours	Case Qty	Note	Price
	"PAR - Series"									
	14100	CF-PAR20-9W/27	9W	E26	395	2700K	8000	25/50	ES	4.00
	14101	CF-PAR20-9W/30	9W	E26	395	3000K	8000	25/50	ES	4.00
	14102	CF-PAR20-9W/35	9W	E26	395	3500K	8000	25/50	ES	4.00
	14103	CF-PAR20-9W/41	9W	E26	395	4100K	8000	25/50	ES	4.00
	14104	CF-PAR20-9W/50	9W	E26	395	5000K	8000	25/50	ES	4.00
	14106	CF-PAR30-15W/27K	15W	E26	750	2700K	8000	20	ES	5.00
	14107	CF-PAR30-15W/30K	15W	E26	750	3000K	8000	20	ES	5.00
	14108	CF-PAR30-15W/35K	15W	E26	750	3500K	8000	20	ES	5.00
	14109	CF-PAR30-15W/41K	15W	E26	750	4100K	8000	20	ES	5.00
	14110	CF-PAR30-15W/50K	15W	E26	750	5000K	8000	20	ES	5.00
	14112	CF-PAR38-23W/27K	23W	E26	1280	2700K	8000	20	ES	6.00
	14113	CF-PAR38-23W/30K	23W	E26	1280	3000K	8000	20	ES	6.00
	14114	CF-PAR38-23W/35K	23W	E26	1280	3500K	8000	20	ES	6.00
	14115	CF-PAR38-23W/41K	23W	E26	1280	4100K	8000	20	ES	6.00
	14116	CF-PAR38-23W/50K	23W	E26	1280	5000K	8000	20	ES	6.00
	"Twist GU-24 Base Lamp"									
	61019	CFLESP13/GU24/35	13W	GU24	850	3500K	10000	10/100	ES	6.00
	61020	CFLESP13/GU24/41	13W	GU24	850	4100K	10000	10/100	ES	6.00
	61021	CFLESP13/GU24/50	13W	GU24	850	5000K	10000	10/100	ES	6.00
	61023	CFLESP18/GU24/27	18W	GU24	1200	2700K	10000	10/100	ES	8.00
	61024	CFLESP18/GU24/30	18W	GU24	1200	3000K	10000	10/100	ES	8.00
	61026	CFLESP18/GU24/41	18W	GU24	1200	4100K	10000	10/100	ES	8.00
	61028	CFLESP23/GU24/27	23W	GU24	1600	2700K	10000	10/100	ES	10.00
	61029	CFLESP23/GU24/30	23W	GU24	1600	3000K	10000	10/100	ES	10.00
	61031	CFLESP23/GU24/41	23W	GU24	1600	4100K	10000	10/100	ES	10.00
	61033	CFLESP26/GU24/27	26W	GU24	1800	2700K	10000	10/100	ES	10.00
	61036	CFLESP26/GU24/41	26W	GU24	1800	4100K	10000	10/100	ES	10.00
 	"U" Twin, Triple									
	61072	ESU2-5W64	5W	E26	300	6400K	8000	25/100		2.00
	61073	ESU2-9W27	9W	E26	530	2700K	8000	10/100		2.00
	61076	ESU2-13W27	13W	E26	800	2700K	8000	10/100		2.00
	61079	ESU3-20W64	20W	E26	1320	6400K	8000	10/100		3.00
	61080	ESU3-25W27	25W	E26	1440	2700K	8000	10/100		3.00
	61081	ESU3-25W64	25W	E26	1440	6400K	8000	10/100		3.00



Item No.	Item Description	Watts	Lumens	Colour Temp.	Life Hours	Base	QTY/CTN	Price	Image
PLS									
62006	PLS9/30/2P	9W	600	3000K	12000	G23	25/100	4.00	
62007	PLS9/35/2P	9W	600	3500K	12000	G23	25/100	4.00	
62008	PLS9/41/2P	9W	600	4100K	12000	G23	25/100	4.00	
62009	PLS13/30/2P	13W	900	3000K	12000	GX23	25/100	4.00	
62010	PLS13/35/2P	13W	900	3500K	12000	GX23	25/100	4.00	
62011	PLS13/41/2P	13W	900	4100K	12000	GX23	25/100	4.00	
PLD									
62012	PLD13/27/4P	13W	900	2700K	12000	G24q-1	50	4.40	
62013	PLD13/30/2P	13W	900	3000K	12000	GX23-2	50	4.40	
62014	PLD13/35/2P	13W	900	3500K	12000	GX23-2	50	4.40	
62015	PLD13/41/2P	13W	900	4100K	12000	GX23-2	50	4.40	
62016	PLD18/35/2P	18W	1200	3500K	12000	G24d-2	50	4.80	
62017	PLD26/41/2P	26W	1800	4100K	12000	G24d-3	50	5.20	
62018	PLD13/30/4P	13W	900	3000K	12000	G24q-1	50	4.40	
62019	PLD13/35/4P	13W	900	3500K	12000	G24q-1	50	4.40	
62020	PLD13/41/4P	13W	900	4100K	12000	G24q-1	50	4.40	
62022	PLD18/30/4P	18W	1200	3000K	12000	G24q-2	50	4.80	
62023	PLD18/35/4P	18W	1200	3500K	12000	G24q-2	50	4.80	
62024	PLD18/41/4P	18W	1200	4100K	12000	G24q-2	50	4.80	
62026	PLD26/30/4P	26W	1800	3000K	12000	G24q-3	50	5.20	
62027	PLD26/35/4P	26W	1800	3500K	12000	G24q-3	50	5.20	
62028	PLD26/41/4P	26W	1800	4100K	12000	G24q-3	50	5.20	
FCT9									
63070	FC8T9/CW	22W	1250	4100K	10000	G10q	12	14.00	
63071	FC12T9/CW	32W	2100	4100K	10000	G10q	12	19.00	



Image	Item No.	Item Description	Watts	Lumens	Colour Temp.	Life Hours	Base	QTY/CTN	Price
	PLT								
	62030	PLT18/30/4P	18W	1200	3000K	12000	GX24q-2	50	6.80
	62031	PLT18/35/4P	18W	1200	3500K	12000	GX24q-2	50	6.80
	62032	PLT18/41/4P	18W	1200	4100K	12000	GX24q-2	50	6.80
	62033	PLT26/30/4P	26W	1800	3000K	12000	GX24q-3	50	7.60
	62034	PLT26/35/4P	26W	1800	3500K	12000	GX24q-3	50	7.60
	62035	PLT26/41/4P	26W	1800	4100K	12000	GX24q-3	50	7.60
	62036	PLT32/30/4P	32W	2400	3000K	12000	GX24q-3	10/100	8.40
	62037	PLT32/35/4P	32W	2400	3500K	12000	GX24q-3	10/100	8.40
	62038	PLT32/41/4P	32W	2400	4100K	12000	GX24q-3	10/100	8.40
	62039	PLT42/30/4P	42W	3200	3000K	12000	GX24q-4	10/100	9.80
	62040	PLT42/35/4P	42W	3200	3500K	12000	GX24q-4	10/100	9.80
	62041	PLT42/41/4P	42W	3200	4100K	12000	GX24q-4	10/100	9.80
	PLL								
	62046	PLL36/30/4P	36W	2900	3000K	12000	2G11	50	12.00
	62047	PLL36/35/4P	36W	2900	3500K	12000	2G11	50	12.00
	62048	PLL36/41/4P	36W	2900	4100K	12000	2G11	50	12.00
	62052	PLL40/30/4P	40W	3150	3000K	12000	2G11	50	12.00
	62053	PLL40/35/4P	40W	3150	3500K	12000	2G11	50	12.00
	62054	PLL40/41/4P	40W	3150	4100K	12000	2G11	50	12.00
	62059	PLL55/41/4P	55W	4800	4100K	12000	2G11	50	18.00



Item No.	Item Description	Lamp Type	Watt	Init. Lumens	Life Hours	Base	Colour Temp.	CRI	MOL	Case Qty.	Price	Image	
T5													
63000	F6T5/830	T5	6	300	20,000 hrs	Mini Bi-Pin	3000K	83	10"	50	6.00		
63001	F8T5/830	T5	8	410	20,000 hrs	Mini Bi-Pin	3000K	84	14"	50	6.00		
63002	F8T5/841	T5	8	410	20,000 hrs	Mini Bi-Pin	4100K	85	14"	50	6.00		
63003	F14T5/830	T5	14	1350	20,000 hrs	Mini Bi-Pin	3000K	85	22"	50	6.00		
63301	F14T5/835	T5	14	1350	20,000 hrs	Mini Bi-Pin	3500K	85	22"	25	6.00		
63004	F14T5/841	T5	14	1350	20,000 hrs	Mini Bi-Pin	4100K	85	22"	25	6.00		
63005	F21T5/830	T5	21	2100	20,000 hrs	Mini Bi-Pin	3000K	85	34"	25	6.00		
63305	F21T5/835	T5	21	2100	20,000 hrs	Mini Bi-Pin	3500K	85	34"	25	6.00		
63006	F21T5/841	T5	21	2100	20,000 hrs	Mini Bi-Pin	4100K	85	34"	25	6.00		
63007	F28T5/830	T5	28	2900	20,000 hrs	Mini Bi-Pin	3000K	85	46"	25	6.00		
63307	F28T5/835	T5	28	2900	20,000 hrs	Mini Bi-Pin	3500K	85	46"	25	6.00		
63008	F28T5/841	T5	28	2900	20,000 hrs	Mini Bi-Pin	4100K	85	46"	25	6.00		
63009	F28T5/850	T5	28	2900	20,000 hrs	Mini Bi-Pin	5000K	85	46"	25	6.00		
63010	F28T5/865	T5	28	2900	20,000 hrs	Mini Bi-Pin	6500K	85	46"	25	6.00		
63011	F35T5/841	T5	35	3650	24,000 hrs	Mini Bi-Pin	4100K	85	58"	25	14.00		
63012	F24T5/835/HO	T5 High Output	24	2200	20,000 hrs	Mini Bi-Pin	3500K	85	22"	50	8.00		
63013	F24T5/841/HO	T5 High Output	24	2200	20,000 hrs	Mini Bi-Pin	4100K	85	22"	25	8.00		
30391	F39T5/835/HO	T5 High Output	39	3500	24,000 hrs	Mini Bi-Pin	3500K	85	34"	25	12.00		
30393	F39T5/840/HO	T5 High Output	39	3500	24,000 hrs	Mini Bi-Pin	4100K	85	34"	25	12.00		
63014	F54T5/835/HO	T5 High Output	54	4100	20,000 hrs	Mini Bi-Pin	3500K	85	46"	25	8.00		
63015	F54T5/841/HO	T5 High Output	54	4100	20,000 hrs	Mini Bi-Pin	4100K	85	46"	25	8.00		
63016	F54T5/850/HO	T5 High Output	54	4100	20,000 hrs	Mini Bi-Pin	5000K	85	46"	25	8.00		
63017	F54T5/865/HO	T5 High Output	54	4100	20,000 hrs	Mini Bi-Pin	6500K	85	46"	25	8.00		
T8													
63024	F17T8/741	T8	17	1300	20,000 hrs	Med Bi-Pin	4100K	75	24"	25	4.00		
63028	F25T8/741	T8	25	2200	20,000 hrs	Med Bi-Pin	4100K	75	36"	25	4.00		
63029	F28T8/841	T8	28	2800	20,000 hrs	Med Bi-Pin	4100K	85	48"	25	5.00		
63030	F32T8/741	T8	32	2800	20,000 hrs	Med Bi-Pin	4100K	75	48"	25	4.00		
63032	F32T8/830	T8	32	2950	20,000 hrs	Med Bi-Pin	3000K	85	48"	25	5.00		
63033	F32T8/835	T8	32	2950	20,000 hrs	Med Bi-Pin	3500K	85	48"	25	5.00		
63034	F32T8/841	T8	32	2950	20,000 hrs	Med Bi-Pin	4100K	85	48"	25	5.00		
63035	F32T8/850	T8	32	2950	20,000 hrs	Med Bi-Pin	5000K	85	48"	25	5.00		
63036	F32T8/865	T8	32	3100	20,000 hrs	Med Bi-Pin	6500K	85	48"	25	5.00		
T12													
64034	F34T12/CW	T12	34	2650	20,000 hrs	Med Bi-Pin	4100K	65	48"	36	4.00		
64040	F40T12/DX	T12	40	2650	20,000 hrs	Med Bi-Pin	6500K	65	48"	36	4.00		
U6													
63135	FB32T8/835/U6	T8	32	2800	20,000 hrs	Med Bi-Pin	3500K	85	22.5"	20	12.00		
63137	FB32T8/841/U6	T8	32	2800	20,000 hrs	Med Bi-Pin	4100K	85	22.5"	20	12.00		
63138	FB32T8/850/U6	T8	32	2800	20,000 hrs	Med Bi-Pin	5000K	85	22.5"	20	12.00		
63139	FB32T8/865/U6	T8	32	2800	20,000 hrs	Med Bi-Pin	6500K	85	22.5"	20	12.00		



Image	Item No.	Item Description	Watts	Volts	Avg. Life	Colour Temp.	Type (Base)	Case Qty.	Price	Note
	PAR16									
	51001	35PAR16/NFL	35W	120V	2,500 hrs	2800K	E26	10/200	3.20	
	51002	50PAR16/NFL	50W	120V	2,500 hrs	2800K	E26	10/200	3.20	
	JDR16 (HR16)									
	51003	35JDR16/NFL	35W	120V	3,000 hrs	2900K	E26	10/200	2.40	
	51004	50JDR16/NFL	50W	120V	3,000 hrs	2900K	E26	10/200	2.40	
	PAR20									
	51008	50PAR20/NFL/130	50W	130V	3,000 hrs	2900K	E26	50	4.00	
	48122	50PAR20/FL/YELLOW	50W	130V	3,000 hrs	Yellow	E26	20.00	6.00	
	PAR38									
	51015	45PAR38/NFL/130	45W	130V	3,000 hrs	2900K	E26	15/20	4.30	
	51021	90PAR38/NFL/Red	90W	120V	3,000 hrs	Red	E26	20	7.00	
	GU10									
	51023	35GU10/CG	35W	120V	2500	2850K	GU10	10/200	2.00	
	51025	50GU10/CG/RGBY	50W	120V	2500	Colour	GU10	10/200	8.90	single color
	MR16									
	51028	Q20MR16	20W	12V	3,000 hrs	2800K	GU5.3	10/200	2.40	CG
	51029	Q35MR16	35W	12V	3,000 hrs	2800K	GU5.3	10/200	2.40	CG
	51030	Q50MR16	50W	12V	3,000 hrs	2800K	GU5.3	20/200	2.40	CG, FL/SP
	51035	Q75MR16/CG	75W	12V	3,000 hrs	2800K	GU5.3	20/200	7.00	EYF
	51039	Q20MR16/CG CW	20W	12V	3,000 hrs	4200K	GU5.3	20/200	2.80	Coolwhite
	51040	Q35MR16/CG CW	35W	12V	3,000 hrs	4200K	GU5.3	20/200	2.80	Coolwhite
	51041	Q50MR16/CG CW	50W	12V	3,000 hrs	4200K	GU5.3	20/200	2.80	Coolwhite
	51042	Q50MR16/CG DX	50W	12V	3,000 hrs	5700K	GU5.3	20/200	2.80	Daylight
	51033	Q50MR16/CG/RGBY	50W	12V	3000 hrs	Colour	GU5.3	10/200	9.00	single color
	JCDR16									
	51051	Q50JCDR16/CG	50W	120V	3000 hrs	2900K	GU5.3	10/100	3.80	



Item No.	Description	Watts	Volts	Avg. Life	Colour Temp.	Type (Base)	Case Qty.	Price	Image
MR11		Low Voltage Dichroic Lamps							
51055	Q20MR11/CG	20W	12V	3,000 hrs	2900K	GU4	10/100	2.00	
51056	Q35MR11/CG	35W	12V	3,000 hrs	2900K	GU4	10/100	2.00	
AR (PAR36)									
51099	Q50AR70/FL	50W	12V	3,000 hrs	2900K	Ba15d	10/100	10.00	
51100	Q50PAR36/GU10 (AR111)	50W	120V	3,000 hrs	2900K	GU10	10/100	24.00	
JC		Bi-Pin Halogen Lamps							
51059	Q10JC-G4	10W	12V	2000 hrs	3000K	G4	50	2.00	
51060	Q20JC-G4	20W	12V	2000 hrs	3000K	G4	50	2.00	
51063	Q35JC-G6.35-120	35W	120V	3,000 hrs	2900K	G6.35	50	2.40	
51064	Q50JC-G6.35-120	50W	120V	3,000 hrs	2900K	G6.35	50	2.40	
51066	Q50JC-G6.35	50W	12V	2500 hrs	2900K	G6.35	50	2.40	
51067	Q60JC-G6.35	60W	12V	2500 hrs	2900K	G6.35	50	2.40	
JCD		JCD Base Halogen Lamps							
51069	Q25G9/CL	25W	120V	3,000 hrs	2800K	G9	100	2.80	
51070	Q35G9/CE	35W	120V	3,000 hrs	2800K	G9	100	3.90	
51071	Q40G9/CL	40W	120V	3,000 hrs	2900K	G9	100	2.80	
51072	Q50G9/CL	50W	120V	3,000 hrs	2900K	G9	100	2.90	
51073	Q60G9/CL	60W	120V	3,000 hrs	2900K	G9	100	2.90	
51074	Q75G9/CL	75W	120V	3,000 hrs	2900K	G9	100	2.90	
51075	Q20JCD-G8	20W	120V	3,000 hrs	2850K	G8	50	3.90	
51076	Q50JCD-G8	50W	120V	3,000 hrs	2850K	G8	50	3.90	
JP		Double-Envelope Halogen Lamps							
51080	Q75JP78/CL/3	75W	120V	2,000 hrs	2800K	T3/R7s	100	2.40	
51081	Q100JP78/CL/3	100W	120V	2,000 hrs	2850K	T3/R7s	100	2.40	
51082	Q150JP78/CL/3	150W	120V	2,000 hrs	2850K	T3/R7s	100	2.40	
51083	Q200JP78/CL/3	200W	120V	2,000 hrs	2850K	T3/R7s	100	2.40	
51084	Q100JP118/CL/4	100W	120V	2,000 hrs	2900K	T3/R7s	100	3.00	
51085	Q150JP118/CL/4	150W	120V	2,000 hrs	2900K	T3/R7s	100	3.00	
51086	Q200JP118/CL/4	200W	120V	2,000 hrs	2900K	T3/R7s	100	3.00	
51087	Q250JP118/CL/4	250W	120V	2,000 hrs	2900K	T3/R7s	100	3.00	
51088	Q300JP118/CL/4	300W	120V	2,000 hrs	2900K	T3/R7s	100	3.00	
51089	Q500JP118/CL/4	500W	120V	2,000 hrs	2900K	T3/R7s	100	6.00	
51090	SPECIAL LAMP 240-277V Q1500T3/CL/QTZ HAL.277V	1500W	220V	2,000 hrs	2900K	T3/R7s	10	10.00	
JD		Single-Ended Halogen Lamps							
51091	Q50JD/CL/MC/V	50W	130V	3,000 hrs	2900K	T4/E11	50	4.00	
51093	Q50JDE/CL	50W	120V	3,000 hrs	2900K	E12	50	4.00	



BALLAST ET DU TRANSFORMATEUR TRANSFORMER AND BALLAST



Item No.	Halogen Transformers	Price
10040	AC12V 60W	\$14.00
10041	AC12V 80W	\$18.00
10042	AC12V 105W	\$30.00
10043	AC12V 150W	\$36.00
10044	AC12V 230W	\$48.00
10045	AC12V 300W	\$120.00

e-Ballast for T8	Price
120V-277V 2F17T8, F25T8	\$28.00
120V 4F32T8	\$32.00
347V 2F32T8	\$34.00
120V 2F9632T8	\$52.00

DOUILLE SOCKET



Sockets	Price
MR16 Round with 12" Lead	\$4.00
MR16 Square with 12" Lead	\$4.00
MR16 Square with 48" Lead	\$20.00
GU10 with 12" Lead	\$6.00
Gu24 Adaptor	\$4.00
E26 with 12" Lead	\$6.00
E26 socket extension	\$6.00





Image	Item No.	Item Description	Avg. Life	Type (Base)	Price	Note
Furniture Lamp (T10 25W, 40W) T10	48517	25T10/CL/1CD Brite Lite	3,000	E26	0.80	

Image	Item No.	Item Description	Avg. Life	Type (Base)	Price	Note
Candle B10 (25W, 40W, 60W)	48035	EC125/BU/2CD/CL/HH	3,000	E26	0.60	
	48142	CF125/6 RONA BOX 120V	3,000	E12	0.60	
	23769	25F15/CL NOMA/BOX	3,000	E26	0.90	
	48147	25F15/CL/FL/1 RONA CARD	3,000	E26	0.90	
	48143	CF140/1PK 120V	3,000	E12	0.60	
	23750	CF160/1PK or 6PK 120V	3,000	E12	0.60	
						
						

Image	Item No.	Item Description	Avg. Life	Type (Base)	Price	Note
G16, G25, G40 (25W, 40W, 60W)	48513	40G40/WH/1PK Brite Lite	3,000	E26	2.00	
	48261	25G16/CL/E/2CD or CP40	3,000	E12	0.60	
	48264	25G16/WH/E/2CD Brite	3,000	E12	0.60	
	48473	60G16/WH/1PK or 6PK	3,000	E12	0.60	
	48476	60G16/CL/E/1PK Brite	3,000	E12	0.60	
	49699	25G25/CL/CP21	3,000	E26	0.90	
	49715	25G25/WH/CP21 or 1PK	3,000	E26	0.90	
	49701	60G25/CL/CP21, 1PK or 3PK	3,000	E26	0.90	
						
						
						
						
						

Image	Item No.	Item Description	Avg. Life	Type (Base)	Price	Note
R20, R30, BR40 (50W, 75W, 100W, 120W)	49711	50R20/FL/NS/130/5M/1PK	5,000	E26	1.40	
	48308	75R20/FL/4PK Brite Lite	5,000	E26	1.40	
	49793	75BR30/FL/NS/130/5M/1PK	5,000	E26	2.00	
	49713	100BR40/FL/CP10 or 1PK	5,000	E26	3.40	
	49797	120BR40/FL/RDB/130/6M/1PK	6,000	E26	3.60	

Image	Item No.	Item Description	Avg. Life	Type (Base)	Price	Note
Night Light S6, C7	48460	7C7/CL/2CD Brite Lite	2,000	E12	1.00	
	48461	7C7/WH/2CD or Eggcrate	2,000	E12	1.00	
	25264	6S6/CL BULB - EGGCRATE	2,000	E12	1.00	
	44717	25T6.5N/CL/25PK	2,000	E17	1.10	Exit
						
						
						

Image	Item No.	Item Description	Avg. Life	Type (Base)	Price	Note
String/Sign/Deco. Lamp A19, S11, S14, R20, R30 BR38	48522	7.5S11/WH/1CD Brite Lite	2,000	E26	2.00	
	44524	11S14/CB BLUE	2,000	E26	2.00	
	44525	11S14/CG GREEN	2,000	E26	2.00	
	44526	11S14/CO ORANGE	2,000	E26	2.00	
	21396	11S14/TO AMBER	2,000	E26	2.00	
	23994	40A19HM	5,000	E26	2.00	Half Mirror
	23997	60A19/G	2,000	E26	2.00	Green
	23995	60A19/A	2,000	E26	2.00	Amber
	44521	50R20/Y	3,000	E26	2.00	Yellow
	24013	75R30/G	3,000	E26	4.00	Green
	47829	100NBR38/FL/Y/1PK	3,000	E26	3.60	Yellow



Terms and Conditions

1. Terms of Sales

- 1.1 AWL prices reflect the competitive market and thus may change without notice.
- 1.2 All products will be billed the prices which are in effect on the date of purchase.
- 1.3 Backorders will be subject to the price stated at the time of order.

2. Payment

- 2.1 AWL accepts cash or a current dated cheque for payment only. A line of credit may also be obtained with AWL approval.
- 2.2 Terms of the AWL credit are net 30 days, with a monthly overdue charge of 2%.
- 2.3 All monthly dues will be stated in AWL invoices and monthly statements.

3. Delivery

- 3.1 In order to qualify for PPD shipment by AWL, orders that require delivery within the GTA must be greater than \$500.00 before taxes except fluorescent tubes within the Toronto area.
- 3.2 Orders for delivery outside of the Toronto area must be a minimum of \$1000.00 before taxes except fluorescent tubes.
- 3.3 For area's outside of Ontario orders must be a minimum of \$1500.00 before taxes except fluorescent tubes. FOB is AWL dock.

4. Order Changes, Cancellations, and Returns

- 4.1 Changes or cancellations must be given as soon as possible. Changes or cancellations which occur after an order has been shipped will be the responsibility of the purchaser.
- 4.2 Special orders such as private labels are subject to a no cancellation policy.
- 4.3 Returned items must be in their original packaging, in the same condition in which they were purchased.
- 4.4 Items which are returned after a significant period of time, or are returned in packaging that has been damaged or altered in any way, will be subject to a 20% restock charge.
- 4.5 Items which fail to work properly after they have been purchased due to having been tampered with or used inappropriately will not be accepted for return.
- 4.6 A credit will be issued for all returned items.
- 4.7 All returns will be subject to inspection by AWL employees. A credit note/ RMA may then be issued to the purchaser.

5. Product Warranty

- 5.1 AWL products are under warranty for the period of 1 year from the date of purchase against defects in material and workmanship. If the credit is issued, it will be based on pro-rated warranty period.
- 5.2 If the product should fail to operate due to defects in material or workmanship, simply return the product to the place of purchase or to the AWL warehouse along with the original sales receipt.
- 5.3 The product will be replaced or repaired at AWL's discretion. This warranty is expressly limited to repair or replacement of the product only.
- 5.4 WARRANTY IS VOID IF PRODUCT IS NOT USED FOR THE PURPOSE FOR WHICH THIS PRODUCT IS MANUFACTURED. DISCOUNT OR CLEARANCE PRODUCTS ARE NOT UNDER WARRANTY.

6. Product Specifications

- 6.1 The approximate life of AWL products is indicated in the AWL catalogue. Further product information may be obtained by contacting AWL.

7. Force Majeure

- 7.1 AWL is in no way liable to the purchaser in circumstances that are beyond AWL's control.
- 7.2 Occurrences such as natural disasters, changes in the law, government policies and regulations, product shortages, or any other unforeseen occurrences may result in delays, cancellations, or other service interruptions. Under such circumstances, AWL will do their best to notify the customer of the situation as soon as possible, and will do their best to accommodate the customer's needs.



Termes et Conditions

1. Conditions de Vente

- 1.1 AWL prix reflètent le marché concurrentiel et ainsi peuvent changer sans préavis.
- 1.2 Tous les produits seront facturés au prix qui sont en vigueur sur la date d'achat.
- 1.3 Backorders relèvera le prix indiqué au moment de la commande.

2. Paiement

- 2.1 AWL accepte d'espèces ou chèque daté actuel de paiement seulement. Une ligne de crédit peuvent également être obtenu avec l'approbation du poinçon.
- 2.2 Conditions de crédit AWL sont net dans 30 jours, avec des frais mensuels en retard de 2%.
- 2.3 Toutes les cotisations mensuelles seront exprimées en ALÈNE factures et les relevés mensuels.

3. Livraison

- 3.1 Afin de se qualifier pour l'expédition de PPD de poinçon, les commandes qui exigent une livraison dans la région du grand Toronto doivent être supérieures à 500.00 \$ avant taxes dans la région de Toronto.
- 3.2 Commandes pour la livraison à l'extérieur de la région de Toronto doivent être au minimum de 1000.00 \$ avant taxes sauf tubes fluorescents.
- 3.3 Pour la zone à l'extérieur de l'Ontario les ordres doivent être un minimum de 1500.00\$ avant taxes, à l'exception des tubes fluorescents. FOB est AWL dock.

4. Commander des changements, annulations et retours

- 4.1 Modifications ou annulations doivent bénéficier dès que possible. Modifications ou annulations qui se produisent après qu'une ordonnance a été expédiées seront à la charge de l'acheteur.
- 4.2 Commandes spéciales telles que les labels privés sont soumis à une politique d'aucune annulation.
- 4.3 Articles retournés doivent être dans leur emballage d'origine, dans le même État dans lequel ils ont été achetés.
- 4.4 Éléments qui sont retourné après un laps de temps significatif, ou sont retournés dans un emballage qui a été endommagé ou modifié d'aucune façon, sera sous réserve d'un frais de restockage de 20%.

- 4.5 Éléments qui ne fonctionne pas correctement après que qu'ils ont été achetés en raison d'avoir été trafiqué ou mal utilisés ne seront pas acceptés pour le retour.
- 4.6 Un crédit sera émis pour tous les articles retournés.
- 4.7 Tous les retours seront soumis à une inspection par les employés de poinçon. Une note de crédit / RMA peut alors être délivré à l'acheteur.

5. Garantié dé Produit

- 5.1 AWL produits sont sous garantie pour la période de 1 an à compter de la date d'achat contre tout vice de matériau et fabrication d'ampoules. Si le crédit est émis, il sera basé sur la période de garantie au prorata.
- 5.2 Si le produit ne peut pas fonctionner en raison de défauts de matériau ou de fabrication, il suffit de retourner le produit vers le lieu d'achat ou à l'entrepôt de poinçon ainsi que le reçu de vente original.
- 5.3 Le produit sera discrétion de remplacées ou réparées au poinçon. Cette garantie est expressément limitée à la réparation ou au remplacement du produit uniquement.
- 5.4 GARANTIE EST NULLE SI LE PRODUIT N'EST PAS UTILISÉ AUX FINS POUR LESQUELLES CE PRODUIT EST FABRIQUÉ. ESCOMPTE OU DÉGAGEMENT DE PRODUITS NE SONT PAS SOUS GARANTIE.

6. Produit Spécifique

- 6.1 La durée de vie approximative de produits AWL est indiquée dans le catalogue de poinçon. Plus d'informations peuvent être obtenus par contacté AWL

7. Majéure Forcé

- 7.1 AWL est en aucun cas responsable envers l'acheteur dans des circonstances qui échappent au contrôle du poinçon.
- 7.2 Événements comme des catastrophes naturelles, changements dans la Loi, les politiques gouvernementales et des règlements, des pénuries de produits ou tout autres événements imprévus peuvent résulter retards, annulations ou autres interruptions de service. Dans de telles circonstances, poinçon se font de leur mieux pour avertir le client de la situation dès que possible et feront de leur mieux pour répondre aux besoins du client.

AW Lighting



AW Lighting
100 Bass Pro Mills Dr Unit 50
Vaughan, ON L4K 5X1 Canada

Phone: 905-669-6168
Email: sales@awlight.com
Website: www.awlight.com

